Title: INDICAID® COVID-19 Rapid Antigen Test SDS

Document #: SDS-0031/ Revision. B

Status: Current; Effective Date: 08/23/2021



SAFETY DATA SHEET

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND COMPANY IDENTIFICATION

1.1 Product identifier

Product name: INDICAID® COVID-19 Rapid Antigen Test

Product form: Mixture

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: In vitro Diagnostic test for professional

use

1.3 Details of the supplier of the safety data sheet

Manufacturer Phase Scientific International Limited

32 & 33F, Gravity, 29 Hing Yip Street,

Kowloon, Hong Kong

www.phasescientific.com

1.4 Emergency telephone number

Emergency Number +852 9135 2570 [Hong Kong]

+1 (657) 296-6106 [US]

Section 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

When use under normal operating condition according to the product's instructions for use, this product is anticipated to pose no significant health effects. Repeated use or prolonged exposure is not known to aggravate any medical conditions.

Product is not a hazardous substance or mixture according to Regulation (EC) No 1272/2008. Product is not classified under GHS US classification.

2.2 Label elements

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008. GHS US labelling: Not applicable.

2.3 Other hazards

Sample Extraction Buffer:

Eye contact: Irritation
Skin contact: Irritation

Ingestion: Potentially harmful if swallow

Inhalation: None known.

Title: INDICAID® COVID-19 Rapid Antigen Test SDS

Document #: SDS-0031/ Revision. B

Status: Current; Effective Date: 08/23/2021



Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Composition of Extraction Buffer

Composition of Extraction Paries			
Chemical Name	CAS#	Concentration (%)	Hazard Statement
ProClin 300	26172-55-4; 2682-	<0.05 %	Non-hazardous at this
	20-4		concentration
Triton X-100	9002-93-1?	<0.05	Non-hazardous at this
	3002-93-11		concentration

Section 4: FIRST AID MEASURES

4.1 Description of first aid measures

In case of skin contact

Immediately wash thoroughly with running water for at least 15 min

In case of eye contact

Rinse thoroughly with plenty of water, also under the eyelids for at least 15 minutes.

If swallowed

Do not induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with plenty of water and seek immediate medical attention.

If symptoms persist, seek medical attention or poison control center at https://www.poison.org/contact-us or 1-800-222-1222.

Section 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

This material is non-flammable and non-reactive under normal condition of use, storage and transport.

5.3 Advice for firefighters

This product does not contain combustible materials.

Special Exposure Hazards: None known.

Title: INDICAID® COVID-19 Rapid Antigen Test SDS

Document #: SDS-0031/ Revision. B

Status: Current; Effective Date: 08/23/2021



Section 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Take proper precautions to minimize exposure by using personal protective equipment. For personal protection see section 8.

6.2 Environmental precautions

Do not flush Extraction Buffer in drains

6.3 Methods and materials for containment and cleaning up

Soak up spills with inert absorbent material and dispose used devices as hazardous waste. Keep in

suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

Section 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Wear personal protective equipment.

7.2 Conditions for safe storage, including any incompatibilities

Avoid direct sunlight. Store at 2-30°C in original sealed package.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

General industrial hygiene practice. Change contaminated clothing. Wash hands after working with substance. Minimize any anticipated skin and eye contact.

Personal Protection Equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU). Safety glasses or goggles

Respiratory protection

A risk assessment is required.

Hands and other skin protection

Title: INDICAID® COVID-19 Rapid Antigen Test SDS

Document #: SDS-0031/ Revision. B

Status: Current; Effective Date: 08/23/2021



Handle with impervious gloves. The choice of skin protection should be based on the job activity and potential for exposure to the skin. Laboratory coat and/or protective clothing recommended.

Body Protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific workplace. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Control of environmental exposure

Do not let product enter drains.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

	Cassette Device	Extraction Buffer	Swab		
Appearance	Individually sealed foil	Odourless, clear	Flocked swab with		
	pouch with a silica gel	liquid	ABS plastic shaft		
	desiccant and aplastic		and nylon fibre		
	cartridge containing a		head, individually		
	white, narrow		packed and sealed		
	nitrocellulose membrane				
	test strip.				
рН	Not applicable	7.2 ± 0.2	Not applicable		
Melting point	No inf	No information available			
Boiling point	No information available				
Specific Gravity ($H_2O = 1$)	No information available				
Vapor Pressure (mmHg & temp)	No information available				
Percent Volatile (%)	No information available				
Vapor Density	No information available				
Evaporation (Butyl Acetate = I)	No information available				
Solubility in Water	Insoluble	soluble	Insoluble		
Solubility in Fat	No information a	available Insoluble			
Flash Point (method used)	200°C	No information available			
	Lower limit: Not available				
	Upper limit: Not available				
Auto-flammability	No information available				
Explosive Properties	None				
Oxidizing Properties	None		No information		
			available		
Partition Coefficient	No information available				

Over time, nitrocellulose membrane will polymerize and become brown. Polymerization reduces the flash point.

Title: INDICAID® COVID-19 Rapid Antigen Test SDS

Document #: SDS-0031/ Revision. B

Status: Current; Effective Date: 08/23/2021



Section 10: STABILITY AND REACTIVITY

10.1 Stability Stable under normal conditions of use

10.2 Conditions to avoid Excessive heat, direct sunlight

10.3 Hazardous decomposition productsNot established.

10.4 Incompatibility Strong acids or alkalise

Section 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicityNo information availableEyesNo information availableSkinNo information availableInhalationNo information availableIngestionNo information available

Specific Effects

Chronic Toxicity (Target Organ Effects)No information availableCarcinogenic effectsNo information availableMutagenic effectsNo information availableReproductive toxicityNo information availableSensitizationNo information availableTarget Organ EffectsNo information available

Section 12: ECOLOGICAL INFORMATION

12.1 Ecotoxicity effectsNo information available12.2 MobilityNo information available12.3 BiodegradationNo information available12.4 BioaccumulationNo information available

Section 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose in accordance with all applicable local and national regulations

Section 14: TRANSPORT INFORMATION

14.1 UN number

ADR/RID: - IMGD: - IATA: -

14.2 UN proper shipping name ADR/RID: Not regulated

IMDG: Not regulated IATA: Not regulated

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

14.4 Packaging group

Title: INDICAID® COVID-19 Rapid Antigen Test SDS

Document #: SDS-0031/ Revision. B

Status: Current; Effective Date: 08/23/2021



ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: No IMDG Marine pollutant: no IATA: no

According to the 62nd edition 2021 of IATA Dangerous Goods Regulation, the products are not dangerous, poisonous, harmful, corrosive, flammable or explosive. They are not spiritual medicines, not aesthetic or narcotic, and cannot be used to make bio-chemical weapons.

Section 15: REGULATORY INFORMATION

Regulation (EC) No 1272/2008 – classification, labelling and packaging of substances and mixtutres (CLP)

Regulation (EC) No. 1907/2006- Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)

GHS HazCom 2012

Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))

Section 16: OTHER INFORMATION

Further information

This information is based on our present knowledge. The information given is designed only as a guidance for safe handling and is not to be considered a warranty or quality specification. All materials and mixtures may present unknown hazards and should be used with caution.

DISCLAIMER: Not for household or other uses.